

**NEW
PRODUCT**



Flat Bed Standard Features

- 2700KG- 3500KG KNOTT coupling
- LED lighting
- Heavy duty jockey wheel
- Fully welded head board
- Lashing points
- Spare wheel and bracket
- Leaf spring suspension
- 185/60/R12 Tyres
- Knott Axles with all wheels braked
- Ramp holders/carriers
- Resin Flooring
- Galvanised finish
- Fully welded Chassis
- Fully certified trailer

Model	Imperial Size	Tyres	Gross Weight	unladen Weight	Internal Length	Internal Width	External Length	External Width	Axles
FB1052S	10FT x 5'6"	185/60/R12	2700KGS	580KGS	3010mm	1700mm	4790mm	1700mm	2
FB1052H	10FT x 5'6"	185/60/R12	3500KGS	610KGS	3010mm	1700mm	4790mm	1700mm	2
FB1262	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1700mm	4975mm	1700mm	2
FB1263	12FT x 6'6"	185/60/R12	3500KGS	740KGS	3650mm	2000mm	4975mm	2000mm	3
FB1463	14FT x 6'6"	185/60/R12	3500KGS	865KGS	4250mm	2000mm	5575mm	2000mm	3
FB1663	16FT x 6'6"	185/60/R12	3500KGS	910KGS	4850mm	2000mm	6184mm	2000mm	3

NEW



Flat Bed Standard Features

- 2700KG- 3500KG KNOTT coupling
- LED lighting
- Heavy duty jockey wheel
- Fully welded head board
- Anchor points
- Spare wheel and bracket
- Leaf spring suspension
- 185/60/R12 Tyres
- Knott Axles with all wheels braked
- Ramp holders/carriers
- Resin Flooring
- Galvanised finish
- Fully welded Chassis
- Fully certified trailer

Model	Imperial Size	Tyres	Gross Weight	unladen Weight	Internal Length	Internal Width	External Length	Internal Width	Axles
FB1052S	10FT x 5'6FT	185/60/R12	2700KGS	580KGS	3010mm	1700mm	4790mm	1700mm	2
FB1052H	10FT x 5'6FT	185/60/R12	3500KGS	610KGS	3010mm	1700mm	4790mm	1700mm	2
FB1262	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	2
FB1263	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	3
FB1463	14FT x 6'6"	185/60/R12	3500KGS	865KGS	4250mm	1828mm	5575mm	1828mm	3
FB1663	16FT x 6'6"	185/60/R12	3500KGS	910KGS	4850mm	1828mm	6184mm	1828mm	3

NEW



Flat Bed Standard Features

- 2700KG- 3500KG KNOTT coupling
- LED lighting
- Heavy duty jockey wheel
- Fully welded head board
- Anchor points
- Spare wheel and bracket
- Leaf spring suspension
- 185/60/R12 Tyres
- Knott Axles with all wheels braked
- Ramp holders/carriers
- Resin Flooring
- Galvanised finish
- Fully welded Chassis
- Fully certified trailer

Model	Imperial Size	Tyres	Gross Weight	unladen Weight	Internal Length	Internal Width	External Length	Internal Width	Axles
FBI052S	10FT x 5'6FT	185/60/R12	2700KGS	580KGS	3010mm	1700mm	4790mm	1700mm	2
FBI052H	10FT x 5'6FT	185/60/R12	3500KGS	610KGS	3010mm	1700mm	4790mm	1700mm	2
FBI262	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	2
FBI263	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	3
FBI463	14FT x 6'6"	185/60/R12	3500KGS	865KGS	4250mm	1828mm	5575mm	1828mm	3
FBI663	16FT x 6'6"	185/60/R12	3500KGS	910KGS	4850mm	1828mm	6184mm	1828mm	3

NEW



Flat Bed Standard Features

- 2700KG- 3500KG KNOTT coupling
- LED lighting
- Heavy duty jockey wheel
- Fully welded head board
- Anchor points
- Spare wheel and bracket
- Leaf spring suspension
- 185/60/R12 Tyres
- Knott Axles with all wheels braked
- Ramp holders/carriers
- Resin Flooring
- Galvanised finish
- Fully welded Chassis
- Fully certified trailer

Model	Imperial Size	Tyres	Gross Weight	unladen Weight	Internal Length	Internal Width	External Length	Internal Width	Axles
FB1052S	10FT x 5'6FT	185/60/R12	2700KGS	580KGS	3010mm	1700mm	4790mm	1700mm	2
FB1052H	10FT x 5'6FT	185/60/R12	3500KGS	610KGS	3010mm	1700mm	4790mm	1700mm	2
FB1262	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	2
FB1263	12FT x 6'6"	185/60/R12	3500KGS	675KGS	3650mm	1828mm	4975mm	1828mm	3
FB1463	14FT x 6'6"	185/60/R12	3500KGS	865KGS	4250mm	1828mm	5575mm	1828mm	3
FB1663	16FT x 6'6"	185/60/R12	3500KGS	910KGS	4850mm	1828mm	6184mm	1828mm	3

M-TEC Distributor Name:

Contact Number:



LED LIGHTS



DROP SIDES



RAMP CARRIERS



LASHING
POINTS



WELDED
HEADBOARD



CRASH
BARRIERS

M-TEC is proud to announce the launch of its new flatbed trailer range, designed to meet the rigorous demands of both the agricultural and construction sectors. Built with the same strength and durability as their existing trailer lineup, the flatbed trailers are engineered to handle heavy duty tasks with ease. The smart design, featuring optimized axle placement, ensures a smooth and stable towing experience, even under heavy loads. In addition to their robust performance, they maintain a sleek and aesthetically pleasing design, making them both functional and visually appealing. This new range reinforces M-TEC's commitment to delivering reliable, high-quality trailers that stand up to the toughest challenges.

Experience the M-TEC Trailers difference!
Unrivalled Strength. Unmatched Durability. Unforgettable Design.

Address: Drumconra, Swanlinbar Co.Cavan
(IRL) 00353 858523737
(UK) 0044 7951292123
Web: www.m-tec.ie



SCAN OUR QR CODE
to view our full range of products

